



Dropping Point Tester (Oil Bath) LD-LDPT-A10

Labodam Equipment Ltd.

info@labodam.com | www.labodam.com

Dropping Point Tester (Oil Bath) LD-LDPT-A10

Overview

Labodam LDPT-A10 is desktop model tester. It maintains uniform temperature in the oil bath. The instrument is designed and made as per "Test Methods for Dropping Point of Lubricating Grease" ASTM D566.

Features:

- Continuous adjustable heating power
- Constant temperature
- Heat resistant beaker, heater and electric motor
- Floor model
- Effortless operation

Applications:

It is extensively used for petroleum, chemical, scientific research etc.

Specifications:

Heater	800 W
Dimensions	510 x 280 x 570 mm
Power supply	AC 220 V \pm 10 %, 50 Hz
Stirring motor	60 rpm
Beaker quantity	600 ml
Grease cup Height	12 mm
Relative humidity	? 85 %
Grease cup Orifice	?2.8 mm
Test tube Material	Heat-resistant borosilicate glass
Ambient temperature	(-10) °C ~ 40 °C
Grease cup Material	Chromium-plated brass
Total power consumption	? 900 W
Test tube Inner diameter	11.1 mm to 12.7 mm
Thermometer Total length	390 mm
Grease cup Inner diameter	?9.92 mm

Thermometer Scale division	1 °C
Thermometer Immersion depth	7 mm
Thermometer Measurement range	(-5) °C ~ 300 °C