



## **Integrated Industrial Ultrasonic Cleaner LD- LIUC-A10**

**Labodam Equipment Ltd.**  
**[info@labodam.com](mailto:info@labodam.com) | [www.labodam.com](http://www.labodam.com)**

# Integrated Industrial Ultrasonic Cleaner LD-LIUC-A10

## Overview

Integrated Industrial Ultrasonic Cleaner LIUC-A10 is a 38 L capacited unit integrated with industrial based transducer and a powerful ultrasonic generator providing efficient high level tabletop cleaning. With a cleaning duration of 1 ~ 99 mins efficient intensive cleaning of instruments and products is done making them contamination, rust and germ free. Its key feature is the variance of using it at 28 KHz for gross rinse to 40 KHz for intensive rinse.

## Features:

- 38 L capacity tank
- Temperature range : 0 °C ~ 80 °C
- Cleaning duration : 1 ~ 99 mins
- 28 KHz for gross rinse to 40 KHz for intensive rinse
- Inbuilt with industrial based transducer and powerful ultrasonic generator
- One key access for auto stand-by , sleep and wake up mode
- Integrated digital circuit for timer and heater
- Precise digital processed temperature controls
- Optimum durability under prolonged and heavy usage
- Equipped with degassing and degreasing function

## Applications:

Used in cleaning of irregular and complex specialized instruments, components of sundry shops, workshops, factories etc.

## Specifications:

<b>Timer</b>	1 ~ 99 mins
<b>Voltage</b>	AC 220 V / 50 Hz
<b>Capacity</b>	38 L
<b>Drainage</b>	Yes
<b>Heater power</b>	2000 W
<b>Temperature set</b>	0 °C ~ 80 °C
<b>Ultrasonic power</b>	0 ~ 600 W
<b>Construction material</b>	Stainless Steel
<b>Tank size ( L x W x H )</b>	500 x 300 x 250 mm
<b>Overall size ( L x W x H )</b>	760 x 480 x 710 mm