





BILIRUBIN METER LD-LABM-B10

info@labodam.com | www.labodam.com



Bilirubin Meter LABM-B10 measures the bilirubin level from the range of 0.0mg/dL to 30.0mg/dL. A liquid crystal display is fitted for easy visualization of values up to 3 figures. Convenient browsing and deletion functions are also featured along with the display. A green light indicator is equipped to show the meter is ready to use. It provides rapid test results for serum bilirubin concentration. Our bilirubin meter is compact, portable, and easy to handle.

Features

- ▶ Features easy self-calibration
- Includes storage and memory functions
- ▶ Batteries with long service life
- Recharging battery indicator
- Low energy consumption

Applications

Bilirubin Meter is used for the dynamic clinical assessment of neonatal jaundice. It is applicable in the healthcare sector, hospitals, clinical settings, etc.

Specifications

Model No.	LD-LABM-B10
Measurement Range	0.0mg/dL to 30.0mg/dL
Measurement Accuracy	Low+1.0mg/dL(+17µmol/L)
	Rest ± 1.5mg/dL(±25.5µmol/)
Display	LCD, 3 figures
Indicator Light	Green
Preparation Time	<12 seconds
Record Function	20 recorded data

Re-Examination Rate	<10
Power Supply	AA 1.5V× 2 batteries
Dimension	250 × 180 × 100 mm
Weight	2 Kg

Optional Accessories

► Calibrator